



LATEST RECALLS AND SAFETY ALERTS FROM THE GOVERNMENT OF CANADA

**All recalls and safety alerts will be posted every Monday
Click on the links below to view**

CHILDRENS PRODUCTS:

Health Canada warns that the Convertible House Bed Frames and Montessori Floor Beds by Zipadee Kids may pose a risk of entrapment and strangulation for children

https://recalls-rappels.canada.ca/en/alert-recall/health-canada-warns-convertible-house-bed-frames-and-montessori-floor-beds-zipadee?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Little Sleepies Sleepyhead Lovey and Bandana Bibs recalled due to potential choking hazard

https://recalls-rappels.canada.ca/en/alert-recall/little-sleepies-sleepyhead-lovey-and-bandana-bibs-recalled-due-potential-choking?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Various Mountain Equipment Company (MEC) Youth Jackets recalled due to entanglement and vehicular dragging hazard

https://recalls-rappels.canada.ca/en/alert-recall/various-mountain-equipment-company-mec-youth-jackets-recalled-due-entanglement-and?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

George Brand Sleepers recalled due to choking and ingestion hazards

https://recalls-rappels.canada.ca/en/alert-recall/george-brand-sleepers-recalled-due-choking-and-ingestion-hazards?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

HUF Logo Youth Hooded Fleece recalled due to strangulation hazard

https://recalls-rappels.canada.ca/en/alert-recall/huf-logo-youth-hooded-fleece-recalled-due-strangulation-hazard?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

CONSUMER PRODUCTS:

Chateau Ivory Burlap Curtain Valance with Ties recalled due to strangulation hazard to children

https://recalls-rappels.canada.ca/en/alert-recall/chateau-ivory-burlap-curtain-valance-ties-recalled-due-strangulation-hazard-children?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Powerful magnets Be Amazing! – Magnetic Marvels recalled due to ingestion hazard

https://recalls-rappels.canada.ca/en/alert-recall/powerful-magnets-be-amazing-magnetic-marvels-recalled-due-ingestion-hazard?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Losoya Top Down Bottom Up (TDBU) Cordless Light Filtering Cellular Pleated Shade recalled due to strangulation hazard to children

https://recalls-rappels.canada.ca/en/alert-recall/losoya-top-down-bottom-tdbu-cordless-light-filtering-cellular-pleated-shade-recalled?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23

Honda Lawnmowers recalled due to risk of injury

https://recalls-rappels.canada.ca/en/alert-recall/honda-lawnmowers-recalled-due-risk-injury?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Coulson Cannabis recalls one lot of Port North Lemon Z Rosin - Strain Specific Full Spectrum Solventless Soft Chews edible cannabis

https://recalls-rappels.canada.ca/en/alert-recall/coulson-cannabis-recalls-one-lot-port-north-lemon-z-rosin-strain-specific-full?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Emblem Cannabis Corporation recalls one lot of Divvy Nebula II CBD 510 Vape Cartridge cannabis extract – for inhalation

https://recalls-rappels.canada.ca/en/alert-recall/emblem-cannabis-corporation-recalls-one-lot-divvy-nebula-ii-cbd-510-vape-cartridge?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Unauthorized skin lightening and skin treatment products may pose serious health risks

https://recalls-rappels.canada.ca/en/alert-recall/unauthorized-skin-lightening-and-skin-treatment-products-may-pose-serious-health-risks?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23

HEALTH PRODUCTS:

Tiliacalm Kids: Labelling issue

https://recalls-rappels.canada.ca/en/alert-recall/tiliacalm-kids-labelling-issue?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

5% DEXTROSE INJECTION, USP: Solution bags may be leaking in affected lots.

https://recalls-rappels.canada.ca/en/alert-recall/5-dextrose-injection-usp-solution-bags-may-be-leaking-affected-lots-0?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Revive 7 Revitalizing Lash & Brow Serums: Unauthorized Product with ingredient (bimatoprost)

https://recalls-rappels.canada.ca/en/alert-recall/revive-7-revitalizing-lash-brow-serums-unauthorized-product-ingredient-bimatoprost?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

GENTAMICIN(E) SULFATE: Solution bags may be leaking in affected lots.

https://recalls-rappels.canada.ca/en/alert-recall/gentamicine-sulfate-solution-bags-may-be-leaking-affected-lots-0?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

0.9% SODIUM CHLORIDE INJECTION, USP: Solution bags may be leaking in affected lots.

https://recalls-rappels.canada.ca/en/alert-recall/09-sodium-chloride-injection-usp-solution-bags-may-be-leaking-affected-lots?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

METRONIDAZOLE INJECTION, USP: Solution bags may be leaking in affected lots.

https://recalls-rappels.canada.ca/en/alert-recall/metronidazole-injectionusp-solution-bags-may-be-leaking-affected-lots?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&