



LATEST RECALLS AND SAFETY ALERTS FROM THE GOVERNMENT OF CANADA

All recalls and safety alerts will be posted every Monday
Click on the links below to view

FOOD PRODUCTS:

Compliments brand Buffalo Chicken Meatballs recalled due to undeclared soy

https://recalls-rappels.canada.ca/en/alert-recall/compliments-brand-buffalo-chicken-meatballs-recalled-due-undeclared-soy-0?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Various brands of caffeinated energy drinks may be unsafe due to caffeine content and labelling issues

https://recalls-rappels.canada.ca/en/alert-recall/various-brands-caffeinated-energy-drinks-may-be-unsafe-due-caffeine-content-and?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

CONSUMER PRODUCTS:

Battery Pack Within Certain eufy RoboVac X8 Hybrid Vacuums and Certain eufy Replacement Battery Packs Recalled due to Fire Hazard

https://recalls-rappels.canada.ca/en/alert-recall/battery-pack-within-certain-eufy-robovac-x8-hybrid-vacuums-and-certain-eufy?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Thomas & Friends™ Wooden Railway Products recalled due to ingestion hazard

https://recalls-rappels.canada.ca/en/alert-recall/thomas-friendstm-wooden-railway-products-recalled-due-ingestion-hazard?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Cabela's branded safes with biometric locks made by Fortress Safe recalled due to risk of serious injury or death

https://recalls-rappels.canada.ca/en/alert-recall/cabela-s-branded-safes-biometric-locks-made-fortress-safe-recalled-due-risk-serious?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

HEALTH PRODUCTS:

ION Sinus Support Nasal Spray, ION Sinus, Restore Sinus Spray: microbial contamination.

https://recalls-rappels.canada.ca/en/alert-recall/ion-sinus-support-nasal-spray-ion-sinus-restore-sinus-spray-microbial-contamination?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Jamp-Rehydralyte: Out of specification

https://recalls-rappels.canada.ca/en/alert-recall/jamp-rehydralyte-out-specification?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23&

Unauthorized sexual enhancement products may pose serious health risks

https://recalls-rappels.canada.ca/en/alert-recall/unauthorized-sexual-enhancement-products-may-pose-serious-health-risks?utm_source=gc-notify&utm_medium=email&utm_content=en&utm_campaign=hc-sc-rsa-22-23